

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2008; month=2; day=19; hr=10; min=14; sec=54; ms=765;]

=====

Reviewer Comments:

<110> Jamal, TEMSAMANI

Michel, KACZOREK

Annik, COLIN DE VERDI?RE

<110> SYNT:EM SA

Please remove the second <110>: it appears only once, next to the first applicant. The question mark in the third applicant's name is due to a foreign accent mark: do not include foreign accent marks: they cannot be processed.

<120> Pharmaceutical composition comprising an anti-cancer agent and at least a peptide

The above <120> response exceeds the Sequence Rules' required 72-character limit.

<140> US 09/856,940

<141> 11-26-1999

<150> FR98/15073

<151> 11-30-1998

<150> PCT/FR99/02939

<151> 11-26-1999

The <141> and <151> responses are in invalid format: use YYYY-MM-DD format.

<160> 13

Although the above <160> response is "13," 17 sequences are in the submitted file.

<210> 1
<211> 18
<212> PRT
<213> porcus

The above <213> response is insufficient: per Sequence Rules, indicate Genus species. This response appears in subsequent sequences.

<210> 8
<211> 16
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(16)
<223> X1 to X16 are amino acids of which 6 to 10 of them are hydrophobic amino acids and X6 is Tryptophane
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> X1
<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> X2
<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> X3
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> X4
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> X5
<220>

```

<221>  MISC_FEATURE
<222>  (7) .. (7)
<223>  X7
<220>
<221>  MISC_FEATURE
<222>  (8) .. (8)
<223>  X8
<220>
<221>  MISC_FEATURE
<222>  (9) .. (9)
<223>  X9
<220>
<221>  MISC_FEATURE
<222>  (10) .. (10)
<223>  X10
<220>
<221>  MISC_FEATURE
<222>  (11) .. (11)
<223>  X11
<220>
<221>  MISC_FEATURE
<222>  (12) .. (12)
<223>  X12
<220>
<221>  MISC_FEATURE
<222>  (13) .. (13)
<223>  X13
<220>
<221>  MISC_FEATURE
<222>  (14) .. (14)
<223>  X14
<220>
<221>  MISC_FEATURE
<222>  (15) .. (15)
<223>  X15
<220>
<221>  MISC_FEATURE
<222>  (16) .. (16)
<223>  X16
<400>  8

```

Xaa Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa

<213> response is invalid: per Sequence Rules, use only: the Genus species, "Artificial Sequence," and "Unknown." "Artificial Sequence" and "Unknown" require explanation in the <220>-<223> section. Give the source of the genetic material. This error appears in subsequent sequences. The explanation for Xaa is very unclear: please state which residues the Xaa's represent. Remove the <220>-<223> sections showing just the location and "X1," for instance.

```
<210> 9
<211> 18
<212> PRT
<213> unidentified
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Groups B may be identical or different, and represent a natural
or non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Groups B may be identical or different, and represent a natural or
non-natural amino acid, including amino acid with D configuration and
represent an amino acid for which the side chain carries a basic group
```

Besides an invalid <213> response, the explanations for Xaa are again unclear, and the lines too long. "Groups B may be identical or different"--eliminate this--it is very confusing.

```
<211> 14
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(10)
<400> 14
Arg Arg Leu Ser Tyr Ser Arg Arg Arg Phe
1           5           10
```

Please insert <210> 14 above. The <211> response is incorrect, 10, not 14 amino acids are shown above.

<210> 17
<211> 18
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(18)
<400> 17

Arg Gly Gly Arg Leu Ala Tyr Leu Arg Arg Arg Trp Ala Val Leu Val
1 5 10 15

Gly Arg

1

1

The last sequence is shown above. Please remove the "1's" above, which appear at the end of the file.

Application No: 09856940 Version No: 2.0

Input Set:

Output Set:

Started: 2008-02-12 12:58:14.564
Finished: 2008-02-12 12:58:17.414
Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 850 ms
Total Warnings: 7
Total Errors: 21
No. of SeqIDs Defined: 13
Actual SeqID Count: 16

| Error code | Error Description |
|------------|--|
| E 248 | Order Sequence Error <110> -> <110>; Expected Mandatory Tag: <120> in Header |
| E 287 | Invalid WIPO ST.2 date format; Use (YYYY-MM-DD) in <141> |
| E 287 | Invalid WIPO ST.2 date format; Use (YYYY-MM-DD) in <151> |
| E 287 | Invalid WIPO ST.2 date format; Use (YYYY-MM-DD) in <151> |
| W 402 | Undefined organism found in <213> in SEQ ID (1) |
| W 402 | Undefined organism found in <213> in SEQ ID (2) |
| W 402 | Undefined organism found in <213> in SEQ ID (3) |
| W 402 | Undefined organism found in <213> in SEQ ID (4) |
| W 402 | Undefined organism found in <213> in SEQ ID (5) |
| W 402 | Undefined organism found in <213> in SEQ ID (6) |
| W 402 | Undefined organism found in <213> in SEQ ID (7) |
| E 356 | Organism is not permitted in <213> in SEQ ID (8) |
| E 356 | Organism is not permitted in <213> in SEQ ID (9) |
| E 356 | Organism is not permitted in <213> in SEQ ID (10) |
| E 356 | Organism is not permitted in <213> in SEQ ID (11) |
| E 356 | Organism is not permitted in <213> in SEQ ID (12) |
| E 356 | Organism is not permitted in <213> in SEQ ID (13) |
| E 356 | Organism is not permitted in <213> in SEQ ID (13) |
| E 331 | Count of Protein differs from the <211> tag Input: 14 |

Input Set:

Output Set:

Started: 2008-02-12 12:58:14.564
Finished: 2008-02-12 12:58:17.414
Elapsed: 0 hr(s) 0 min(s) 2 sec(s) 850 ms
Total Warnings: 7
Total Errors: 21
No. of SeqIDs Defined: 13
Actual SeqID Count: 16

| Error code | Error Description |
|------------|---|
| E 212 | Invalid Sequence ID Number; Expected 14 as next SeqID but skipped |
| E 356 | Organism is not permitted in <213> in SEQ ID (15) |
| E 356 | Organism is not permitted in <213> in SEQ ID (16) |
| E 356 | Organism is not permitted in <213> in SEQ ID (17) |
| E 355 | Empty lines found between the amino acid numbering and the |
| E 321 | No. of Bases conflict, this line has no nucleotides SEQID (17) |
| E 355 | Empty lines found between the amino acid numbering and the |
| E 321 | No. of Bases conflict, this line has no nucleotides SEQID (17) |
| E 252 | Calc# of Seq. differs from actual; 13 seqIds defined; count=16 |

SEQUENCE LISTING

<110> Jamal, TEMSAMANI
 Michel, KACZOREK
 Annik, COLIN DE VERDI?RE
 <110> SYNT:EM SA

<120> Pharmaceutical composition comprising an anti-cancer agent and at least a peptide

<130> 320654US0PCT

<140> US 09/856,940

<141> 11-26-1999

<150> FR98/15073

<151> 11-30-1998

<150> PCT/FR99/02939

<151> 11-26-1999

<160> 13

<170> PatentIn version 3.1

<210> 1

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG1

<400> 1

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Arg | Leu | Cys | Tyr | Cys | Arg | Arg | Arg | Phe | Cys | Val | Cys | Val |
| 1 | | | | 5 | | | | | 10 | | | | 15 | | |

Gly Arg

<210> 2

<211> 16

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(16)

<223> Protegrin PG2

<400> 2

| | | | | | | | | | | | | | | | |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Arg | Gly | Gly | Arg | Leu | Cys | Tyr | Cys | Arg | Arg | Arg | Phe | Cys | Ile | Cys | Val |
| 1 | | | | 5 | | | | | 10 | | | | 15 | | |

<210> 3

<211> 18

<212> PRT

<213> porcus

<220>

<221> PEPTIDE

<222> (1)..(18)

<223> Protegrin PG3
<400> 3
Arg Gly Gly Gly Leu Cys Tyr Cys Arg Arg Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 4
<211> 18
<212> PRT
<213> porcus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG4
<400> 4
Arg Gly Gly Arg Leu Cys Tyr Cys Arg Gly Trp Ile Cys Phe Cys Val
1 5 10 15

Gly Arg

<210> 5
<211> 18
<212> PRT
<213> porcus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Protegrin PG5
<400> 5
Arg Gly Gly Arg Leu Cys Tyr Cys Arg Pro Arg Phe Cys Val Cys Val
1 5 10 15

Gly Arg

<210> 6
<211> 18
<212> PRT
<213> Limulus polyphemus
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Polyphemusin P1
<400> 6
Arg Arg Trp Cys Phe Arg Val Cys Tyr Arg Gly Phe Cys Tyr Arg Lys
1 5 10 15

Cys Arg

<210> 7
<211> 18

<212> PRT
 <213> Limmulus polyphemus
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <223> Polyphemusin P2
 <400> 7
 Arg Arg Trp Cys Phe Arg Val Cys Tyr Lys Gly Phe Cys Tyr Arg Lys
 1 5 10 15

Cys Arg

<210> 8
 <211> 16
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(16)
 <223> X1 to X16 are amino acids of which 6 to 10 of them are hydrophobic amino acids and X6 is
 Tryptophane
 <220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> X1
 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> X2
 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> X3
 <220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> X4
 <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> X5
 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> X7
 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> X8
 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> X9
 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)

```

<223> X10
<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> X11
<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> X12
<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> X13
<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> X14
<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> X15
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> X16
<400> 8
Xaa Xaa Xaa Xaa Trp Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa
1 5 10 15

```

```

<210> 9
<211> 18
<212> PRT
<213> unidentified
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Groups B may be identical or different, and represent a natural or non-natural amino
acid, including amino acid with D configuration and represent an amino acid for which the side
chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Groups B may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent an amino acid for which the side chain
carries a basic group
<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Groups B may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent an amino acid for which the side chain
carries a basic group
<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Groups B may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent an amino acid for which the side chain

```

carries a basic group

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (18)..(18)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

```

<222> (13)..(13)
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent a residue of aliphatic or aromatic amino
acid
<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent a residue of aliphatic or aromatic amino
acid
<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent a residue of aliphatic or aromatic amino
acid
<220>
<221> MISC_FEATURE
<222> (16)..(16)
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent a residue of aliphatic or aromatic amino
acid
<220>
<221> MISC_FEATURE
<222> (17)..(17)
<223> Groups X may be identical or different, and represent a natural or non-natural amino acid,
including amino acid with D configuration and represent a residue of aliphatic or aromatic amino
acid
<220>
<221> PEPTIDE
<222> (1)..(18)
<223> Peptide of formula (II)
<400> 9
Asx Xaa Xaa Asx Xaa Xaa Xaa Xaa Asx Asx Asx Xaa Xaa Xaa Xaa Xaa
1 5 10 15

Xaa Asx

<210> 10
<211> 17
<212> PRT
<213> unidentified
<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Groups B may be identical or different, and represent a natural or non-natural amino
acid, including amino acid with D configuration and represent an amino acid for which the side
chain carries a basic group
<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Groups B may be identical or different, and represent a natural or non-natural amino
acid, including amino acid with D configuration and represent an amino acid for which the side
chain carries a basic group
<220>
<221> MISC_FEATURE

```

<222> (9)..(9)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (14)..(14)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (15)..(15)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (17)..(17)

<223> Groups B may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent an amino acid for which the side chain carries a basic group

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic

amino acid
 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid
 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid
 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid
 <220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid
 <220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> Groups X may be identical or different, and represent a natural or non-natural amino acid, including amino acid with D configuration and represent a residue of aliphatic or aromatic amino acid
 <220>
 <221> PEPTIDE
 <222> (1)..(17)
 <223> Peptide of formula (III)
 <400> 10
 Asx Xaa Xaa Xaa Asx Xaa Xaa Xaa Asx Xaa Xaa Xaa Xaa Asx Asx Xaa
 1 5 10 15

Asx

<210> 11
 <211> 18
 <212> PRT
 <213> unidentified
 <220>
 <221> PEPTIDE
 <222> (1)..(18)
 <400> 11
 Arg Gly Gly Arg Leu Ser Tyr Ser Arg Arg Arg Phe Ser Thr Ser Thr
 1 5 10 15

Gly Arg

<210> 12
<211> 18
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(18)
<400> 12
Arg Gly Gly Arg Leu Ser Tyr Ser Arg Arg Arg Phe Ser Val Ser Val
1 5 10 15

Gly Arg

<210> 13
<211> 17
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(17)
<400> 13
Lys Trp Ser Phe Arg Val Ser Tyr Arg Gly Ile Ser Tyr Arg Arg Ser
1 5 10 15

Arg

<211> 14
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(10)
<400> 14
Arg Arg Leu Ser Tyr Ser Arg Arg Arg Phe
1 5 10

<210> 15
<211> 16
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(16)
<223> Peptide with amino acids in D form
<400> 15
Arg Gln Ile Lys Ile Trp Phe Gln Asn Arg Arg Met Lys Trp Lys Lys
1 5 10 15

<210> 16
<211> 17
<212> PRT
<213> unidentified
<220>

<221> PEPTIDE
<222> (1)..(17)
<400> 16
Cys Glu Asn Ile Lys Ile Trp Leu Ser Leu Arg Ser Tyr Leu Lys Arg
1 5 10 15

Arg

<210> 17
<211> 18
<212> PRT
<213> unidentified
<220>
<221> PEPTIDE
<222> (1)..(18)
<400> 17
Arg Gly Gly Arg Leu Ala Tyr Leu Arg Arg Arg Trp Ala Val Leu Val
1 5 10 15

Gly Arg

1

1